

ATTORNEY'S DOCKET NO.  
020431.0463

PATENT APPLICATION

1

APPLICATION FOR U.S. PATENT UNDER 37 C.F.R. § 1.53(b)  
TRANSMITTAL FORM

Box Patent Application  
ASSISTANT COMMISSIONER FOR PATENTS  
Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application  
of:

Inventor or Application Identifier:

Ranjit N. Notani  
1218 Hidden Ridge Drive, #2070  
Irving, Dallas County, Texas 75038

Abhay V. Parasnis  
8804 Saddlehorn Drive, #208  
Irving, Dallas County, Texas 75063

Mark B. Whipple  
110 N. Clinton Avenue  
Dallas, Dallas County, Texas 75208

Entitled: METHOD AND SYSTEM FOR MANAGING COLLABORATION  
WITHIN AND BETWEEN ENTERPRISES

Enclosed are:

☒ Specification ( 46 Total Pages)  
☒ Drawing(s) (11 Total Sheet(s) of ☒ Formal ☐ Informal)  
☒ Combined Declaration and Power of Attorney - Unsigned  
(5 Total Pages)  
☐ Newly executed  
☐ Copy from a prior application  
(for continuation/divisional only)

☐ An Assignment of the invention to i2 Technologies, Inc. is  
attached.

☐ Newly executed (original or copy)  
A separate cover sheet in compliance with 37 C.F.R. § 3.28  
and § 3.31 is included with an Assignment recordal fee of  
\$40.00 pursuant to 37 C.F.R. § 1.21(h).

☐ Information Disclosure Statement (IDS) PTO-1449  
☐ Copies of IDS Citations.

ATTORNEY'S DOCKET NO.  
020431.0463

PATENT APPLICATION

2

☒ Certificate of Mailing  
☒ Return Receipt Postcard  
☐ Other \_\_\_\_\_

Applicant is:

☒ Large Entity  
☐ Small Entity  
    ☐ Small Entity Statement enclosed  
    ☐ Small Entity Statement filed in prior application.  
    Status still proper and desired.

The accompanying application is:

☐ Original  
☐ Continuation ☐ Divisional ☒ Continuation-In-Part  
(CIP) of prior application No. 09/092,348, filed June 5, 1998,  
which is hereby incorporated by reference therein.

FEE CALCULATION					FEE
	Number		Number Extra	Rate	Basic Fee
					\$790.00
Total Claims:	20	-20 =	-0-	X \$22 =	\$ 0.00
Independent Claims	4	- 3 =	1	X \$82 =	\$ 82.00
TOTAL FILING FEE =					\$872.00

☒ A check in the amount of \$872.00 is attached to cover the cost of the filing fee. The Commissioner is hereby authorized to charge any additional fee required or credit any overpayment to Deposit Account No. 02-0384 of Baker & Botts, L.L.P. A duplicate copy of this sheet is enclosed.

Respectfully submitted,  
BAKER & BOTTS, L.L.P.  
Attorneys for Applicant



Terry J. Stalford  
Reg. No. 39,522  
September 17, 1998

Correspondence Address:  
BAKER & BOTTS, L.L.P.  
2001 Ross Avenue  
Dallas, Texas 75201-2980  
(214) 953-6477

METHOD AND SYSTEM FOR MANAGING COLLABORATION  
WITHIN AND BETWEEN ENTERPRISES

RELATED APPLICATIONS

This application is a continuation-in-part of U.S. Patent Serial No. 09/092,348, filed June 5, 1998, pending. This application is related to U.S. Patent Application Serial No. \_\_\_\_\_, entitled, "SYSTEM AND METHOD FOR CREATING AN OBJECT WORKSPACE," U.S. Patent Application Serial No. \_\_\_\_\_, entitled, "SYSTEM AND METHOD FOR IMPLEMENTING OBJECT WORKSPACE AGENTS IN A DECISION SUPPORT ENVIRONMENT," U.S. Patent Application Serial No. \_\_\_\_\_, entitled, "WORKFLOW COMMUNICATION," U.S. Patent Application Serial No. \_\_\_\_\_, entitled, "WORKFLOW SYNCHRONIZATION," U.S. Patent Application Serial No. \_\_\_\_\_, entitled, "IMPROVED METHOD AND SYSTEM FOR PROVIDING CLIENT CALLBACKS THROUGH A FIREWALL WITHIN AND BETWEEN ENTERPRISES," U.S. Patent Application Serial No. \_\_\_\_\_, entitled, "OBJECT-ORIENTED WORKFLOW FOR ENTERPRISE COLLABORATION," and U.S. Patent Application Serial No. \_\_\_\_\_, entitled, "EXEMPLAR WORKFLOW USED IN THE DESIGN AND DEPLOYMENT OF A WORKFLOW FOR ENTERPRISE COLLABORATION," all filed September 18, 1998, the disclosures of which are incorporated herein by reference.

TECHNICAL FIELD OF THE INVENTION

This invention relates in general to the field of supply chain, enterprise and site planning and, more particularly, to a system and method for managing a collaboration within or between enterprises.

BACKGROUND OF THE INVENTION

Supply chain, enterprise and site planning applications and environments are widely used by manufacturing entities for decision support and to help manage operations. Decision support environments for supply chain, enterprise, and site planning have evolved from single-domain, monolithic environments to multi-domain, monolithic environments. Conventional planning software applications are available in a wide range of products offered by various companies. These decision support tools allow entities to more efficiently manage complex manufacturing operations. However, supply chains are generally characterized by multiple, distributed and heterogenous planning environments. Thus, there are limits to the effectiveness of conventional environments when applied to the problem of supply chain planning due to monolithic application architectures. Further, these problems are exacerbated when there is no one "owner" of the entire supply chain.

It is desirable for the next evolutionary step for planning environments to establish a multi-domain, heterogenous architecture that supports products spanning multiple domains, as well as spanning multiple engines and products. The integration of the various planning environments into a seamless solution can enable inter-domain and inter-enterprise supply chain planning. Further, an important function provided by some planning applications is the optimization of the subject environment rather than simply tracking transactions. In particular, the RHYTHM family of products available from I2 TECHNOLOGIES provide optimization functionality. However, with respect to planning at the enterprise or supply chain level, many conventional applications, such as those

available from SAP, use enterprise resource planning (ERP) engines and do not provide optimization.

5 The success or failure of an enterprise can depend to a large extent on the quality of decision making within the enterprise. Thus, decision support software, such as I2  
10 TECHNOLOGIES' RHYTHM family of products, that support optimal decision making within enterprises can be particularly important to the success of the enterprise. In general, optimal decisions are relative to the domain of the decision support where the domain is the extent of the "world" considered in arriving at the decision.

For example, the decision being made may be how much of a given item a factory should produce during a given time period. The "optimal" answer depends on the domain of the  
15 decision. The domain may be, for example, just the factory itself, the supply chain that contains the factory, the entire enterprise, or the multi-enterprise supply chain. (The latter two can be considered to be larger domains or multiple domains.) Typically, the larger the domain of the  
20 decision support, the more optimal the decision will be. Consequently, it is desirable for decision support software to cover ever larger domains in the decision making process. Yet, this broadening of coverage can create significant problems.

25 One problem is to efficiently plan and manage multiple domain supply chains. Typically, multiple domain supply chains are manually defined and managed in an ad hoc manner. This often results in the omission of important components of the supply chain which leads to costly and  
30 time consuming rework of the supply chain plan between the multiple domains involved in the supply chain. In addition, if the omission is not detected, inefficiencies to operation and management of the supply chain plan may result.

SUMMARY OF THE INVENTION

In accordance with the present invention, a system and method for managing collaborations within and between enterprises is provided that substantially eliminate or reduce disadvantages and problems associated with previously developed systems and methods. In particular, the present invention provides a computer implemented method for managing collaborations across multiple nodes of one or more enterprises.

In accordance with one embodiment of the present invention, a computer implemented process for managing a distributed work flow includes storing a set of predefined functions for a work flow to be performed at a plurality of distributed nodes. The computer process automatically interacts with the work flow at each of the distributed nodes to perform the predefined functions.

More specifically, in accordance with one aspect of the present invention, a computer implemented process for designing and generating a collaboration between a plurality of enterprises includes receiving a preliminary collaboration design from a first enterprise. The preliminary collaboration design is automatically transmitted to a predefined second enterprise for review. A response to the preliminary collaboration design is received from a second enterprise. The response is automatically transmitted to the first enterprise for review.

In accordance with another aspect of the present invention, a computer implemented process for deploying a collaboration to a plurality of enterprises includes initially receiving a collaboration. A predefined first part of the collaboration is automatically transmitted to a predefined first enterprise. A predefined second part of

the collaboration is automatically transmitted to a predefined second enterprise for operation.

5 In accordance with still another aspect of the present invention, a computer implemented process for tracking a collaboration across a plurality of enterprises includes automatically querying a first node of a first enterprise for a predefined first set of data associated with the operation of collaboration at the first node. The first set of data is automatically transmitted to a monitoring system. 10 A second node of a second enterprise is automatically queried for a predefined second set of information associated with the operation of the collaboration at the second node. The second set of information is automatically transmitted to the monitoring system. 15

Technical advantages of the present invention include providing an improved method and system for managing collaborations within enterprises. In particular, collaborations are defined to generate, deploy, and monitor other collaborations across a plurality of distributed nodes. Accordingly, collaborations are efficiently managed and predefined so as not to omit essential components. 20

Additional technical advantages should be readily apparent to one skilled in the art from the following figures, descriptions, and claims. 25

BRIEF DESCRIPTION OF THE DRAWINGS

A more complete understanding of the present invention and advantages thereof may be acquired by referring to the following description taken in conjunction with the accompanying drawings, in which like reference numbers indicate like features, and wherein:

FIGURE 1 is a diagram of one embodiment of a computer implemented architecture that can support enterprise collaboration;

FIGURE 2 is a diagram of one embodiment of components of a global collaboration framework;

FIGURE 3 is a diagram of the global collaboration framework of FIGURE 2 where certain software elements that make up particular modules are highlighted;

FIGURE 4 is a block diagram of one embodiment of a system allowing collaboration within and between enterprises for optimal decision making ;

FIGURE 5 is a block diagram of one embodiment of the use of a global collaboration workspace;

FIGURE 6 is a diagram of one embodiment of a life cycle for a collaboration;

FIGURE 7 is a diagram of situations where common software is present on both sides of a relationship and where it is not;

FIGURE 8 is a block diagram of one embodiment of a security configuration for a hub-to-spoke and hub-to-web case;

FIGURE 9 is a block diagram of one embodiment of a security configuration for a hub-to-hub case;

FIGURE 10 is a diagram of one embodiment of designing an inter-enterprise work flow that includes parameterization over groups;

FIGURE 11 is a diagram of one embodiment of managing change by modifying a design of a work flow;



FIGURE 12 is a diagram of one embodiment of integration of a work flow with the outside world;

FIGURE 13 is a diagram of one embodiment of a data flow running in a single activity;

5       FIGURE 14 is a diagram of one embodiment of a data flow split across multiple activities;

FIGURE 15 is a block diagram of one embodiment of an common data model based transformation model;

10       FIGURE 16 is a diagram of one embodiment of a direct transformation;

FIGURE 17 is a diagram of one embodiment of different access and transformation levels;

15       FIGURE 18 is a diagram of one embodiment of substituting a hub engine for a spoke engine within a collaboration;

FIGURE 19 is a flow diagram illustrating a computer implemented process for generating a collaboration between a plurality of enterprises in accordance of one embodiment of present inventions;

20       FIGURE 20 is a flow diagram illustrating a computer implemented process for deploying a collaboration to a plurality of enterprises in accordance with one embodiment of the present invention; and

25       FIGURE 21 is a flow diagram illustrating a computer implemented process for monitoring a collaboration across a plurality of enterprises in accordance with one embodiment of present inventions.

DETAILED DESCRIPTION OF THE INVENTION

Improvement of decision support processes involves expansion to provide enterprise level and multi-enterprise level decision support for optimal decision making. Technologically and conceptually, providing enterprise-level and multi-enterprise level decision support differs from providing factory-level and supply-chain-level decision support. The reasons for this can be that, in multi-domain situations (such as business units within an enterprise or multiple enterprises), the different domains often operate different decision support software. Also, in multi-domain situations, one domain generally can not coerce another domain into making a particular decision. In other words, optimal decision support in this environment often needs to be performed in a negotiated, as opposed to coercive, environment.

Providing decision support in multi-domain situations can be accomplished by pursuing a collaborative approach to decision support rather than a coercive one. Various communication and distributed processing technologies can be used to implement such an environment, including the Internet, the Web, JAVA, XML, CORBA, etc., which help make large scale collaborative decision making feasible. Products will soon be available from I2 TECHNOLOGIES that enable a collaborative approach to decision support, including RHYTHM-GLOBAL COLLABORATION MANAGER (GCM) and RHYTHM-GLOBAL COLLABORATION DESIGNER (GCD).

Collaboration System and Process Components

FIGURE 1 is a diagram of one embodiment of a computer implemented architecture that can support enterprise collaboration. As shown, a global decision support architecture can be built upon underlying link, vision, global messaging and data warehouse components.

Collaboration can then involve a global collaboration designer (GCD) and a global collaboration manager (GCM) supported by the decision support architecture. The global collaboration designer can be used to design and instantiate collaborations, and the global collaboration manager can be used to run the collaborations. In this scheme, collaborations can be referred to as modules and can be versioned.

FIGURE 2 is a diagram of one embodiment of components of a global collaboration framework. As shown, the framework can allow an hub enterprise 2 to collaborate with a spoke enterprise 4 and a web enterprise 6. Hub enterprise 2 and spoke enterprise 4 each include a global collaboration manager 8. Global collaboration managers 8 are coupled to and communicate with respective internal global collaboration workspaces 10. An external global collaboration workspace 12 provides a means for sharing data between hub enterprise 2, spoke enterprise 4 and web enterprise 6. Hub enterprise 2 can also collaborate through an electronic data interchange (EDI) processor 14 with a value added network (VAN). Further, hub enterprise 2 can communicate and collaborate with other hub enterprises using a global message bus 15.

In operation, the primary controller of the collaboration can be the GCM engine 8 of hub enterprise 2. The hub-to-hub relationship can be facilitated by the global message bus 15, and the hub-to-spoke and hub-to-web relationships can be facilitated by external global collaboration workspace (GCW) 12. As shown, a hub enterprise 2 can generally have an internal GCW 10 and an external GCW 12. Internal GCW 10 can be used to share and exchange data with internal user interfaces as well as EDI processor 14. External GCW 12 can be used to share and exchange data with spoke enterprises 4 and web enterprises.

For security, external GCW 12 can be installed in a DMZ or outside a corporate firewall of hub enterprise 2. This way no direct connections need to be made from the outside into the protected corporate network of hub enterprise 2. External GCW can accept, for example, IIOP, HTTP and HTTPS connections. In particular, the latter two connections are useful for bridging existing firewall configurations. In this manner, no firewall configuration is needed on either the client (spoke node or web node) or server (hub node) side which can make the solution more quickly deployable.

FIGURE 3 is a diagram of the global collaboration framework of FIGURE 2 where certain software elements that make up particular modules are highlighted. As can be seen, software for the global collaboration manager module can be present in the following places: in the hub engine 8, in the spoke engine 8, in the hub-user, user interface (UI), in the spoke-user UP and in the web-node UP. Additionally, the module can communicate with native applications 17 on the hub enterprise 2 and spoke enterprise 4. Communications with native applications 17 can be either synchronous (dot line) or asynchronous (solid line). Asynchronous communication with native applications 17 can be facilitated by the internal GCW's 10, as shown. Further, a global series database (GSDB) can be present on the hub enterprise 2 side.

FIGURE 4 is a block diagram of one embodiment of a system, indicated generally at 16, allowing collaboration within and between enterprises for optimal decision making. As shown, system 16 includes a hub node 18 which can be a process within a hub engine executing on a computer system. Hub node 18 is coupled to and communicates with a spoke node 20 which also can be a process within a hub engine executing on a computer system. As shown, spoke node 20

can be outside an enterprise boundary 22 of hub node 18. Hub node 18 is also coupled to and communicates with a plurality of spoke nodes 24 which can be processes within a spoke engine executing on one or more computer systems. Hub node 18 can further be coupled to and communicate with a plurality of web nodes 26 which can be processes within a web browser executing on a computer system. In addition, hub node 18 is coupled to and communicates with an EDI (Electronic Data Interchange) proxy 28 which can provide a gateway to EDI systems.

Hub engines and spoke engines, together with a global collaboration workspace, can be the primary entities of a global collaboration manager. In this environment, a hub engine is the primary controller of the collaboration. The hub engine can coordinate both global collaborations as well as local collaborations. Global collaborations are those that span hub nodes 18, spoke nodes 20 and 24 and web nodes 26. A local collaboration can run on any single role - hub or spoke/spoke group. These collaborations can be distributed, but stay within the confines of a single enterprise. Hub engines can also coordinate with hub-user interfaces (UP) as well as the VAN-EDI processor of an EDI proxy 28. In one embodiment, hub engines are multi-threaded engines that can simultaneously coordinate multiple collaborations as well as multiple versions of the same collaboration. Further, the hub engines can dynamically load and execute collaborations.

A spoke engine can also operate to initiate a collaboration. In this environment, unlike a hub engine, a spoke engine is not an independent entity. Instead a spoke engine can only coordinate a collaboration in conjunction with a hub engine. Furthermore, a spoke engine can not coordinate with other spoke engines or other web-nodes. Like a hub engine, a spoke engine can be

multi-threaded and can simultaneously coordinate multiple collaborations as well as multiple versions of the same collaboration. Spoke engines can also dynamically load and execute collaborations.

5           FIGURE 5 is a block diagram of one embodiment of the use of a global collaboration workspace 30. In FIGURE 5, global collaboration workspace 30 provides the primary entity used to share data/objects between the various entities in the collaboration. As shown, workspace 30 can  
10 interface with global collaboration managers (GCMs) 32, a local system 34, a web server 36 and web interface 37 and native applications 38. In general, objects can be placed into global collaboration workspace 30 by one entity and retrieved by another entity. Retrieval can be achieved  
15 either by querying or by subscription. In this way, global collaboration workspace 30 combines the attributes of a database as well as a message bus.

The global collaboration workspace can be organized as a hierarchy of slots which can be in-memory or persistent.  
20 Slots also can be queued or regular, and fine grained permissibilities can be attached to each slot. The permissibilities can be assigned by-user-by-operation. The primary operations can be read, write, take, and subscribe.

In-memory slots hold their data in volatile memory.  
25 Writing and retrieval from in-memory slots is very fast but subject to loss if the global collaboration workspace 30 goes down. When used with in-memory slots, the global collaboration workspace 30 can be considered a fast, secure, in-memory object database, with security and  
30 messaging capabilities. Persistent slots hold their data in stable storage. Writing and retrieval from persistent slots is slower than for in-memory slots, but data is not lost if the global collaboration workspace 30 goes down.

The decision as to whether to use in-memory or persistent slots can depend on the application. Global collaboration workspace 30 stores data in the form of objects and can store Java Objects, CORBA objects or arbitrary byte arrays. This, coupled with its in-memory capabilities, makes global collaboration workspace 30 appropriate as a high-speed data sharing mechanism between other object-oriented in-memory engines such as I2 TECHNOLOGIES' SUPPLY CHAIN PLANNER and FACTORY PLANNER.

A global collaboration designer (GCD) provides a tool to allow collaboration designers to interactively design, instantiate and deploy collaborations to be run using the global collaboration manager. The output of the global collaboration designer is code that can be automatically loaded and run by the global collaboration manager. The global collaboration designer can allow designers to create new collaborations, retrieve existing collaborations, and version collaborations. The global collaboration designer can also allow designers to design the hub and spoke network for collaborations and design the events and messages of the collaboration. The global collaboration designer can integrate a standard object library and a standard component library for easy usage from within the global collaboration designer. The global collaboration designer can be used to create sophisticated multi-enterprise workflows with synchronous, asynchronous, sub-work flow, and-splits, or-splits, synchronization-joins, heterocast-splits, heterocast-joins etc. Global workflows and local workflows can both be created. The global collaboration designer can provide automatic verification of collaborations and automatic code generation, which code is run by the global collaboration manager. The generated code can be manually edited if desired. Further, the global collaboration designer can

provide instantiation of a collaboration including generation of security manager configurations and global collaboration workspace configurations.

FIGURE 6 is a diagram of one embodiment of a life cycle for a collaboration. As shown, in step, a collaboration can be designed using the global collaboration designer. Then, in step 46, a collaboration can be instantiated using the global collaboration designer. The instantiated collaboration can then be deployed, in step 44, using the global collaboration designer and the global collaboration manager. After deployment, the collaboration can be run using the global collaboration manager in step 46. Subsequently, a new instance can be created or a new version of the collaboration can be created. To create a new instance, the flow returns to step 42. For a new version, the global collaboration designer can be used in step 48 to modify the collaboration.

The extension from single-domain decision support to multi-domain decision support can be complicated. In particular, the following discussion describes a number of challenges presented by multi-domain decision support and embodiments of how those challenges are addressed by the present system and process allowing collaboration within and between enterprises for optimal decision making.

#### Representational Heterogeneity

One problem with collaboration is bridging representational heterogeneity across enterprises. Before collaboration can successfully occur, the representational heterogeneity across enterprises needs to be bridged. Enterprises often represent the same data in different ways. These differences range from semantic differences, to technological differences, to differences in naming,



etc. One obvious solution to bridging these differences is standardization. However, this immediately raises the issue of what standard to agree upon. The present system and process avoid such a requirement.

5 It should be noted that there can be three relevant categories of standards that need to be addressed. These three categories are: format standards, transport standards and semantic standards. Format standards refer to the technological formats in which the data/objects are  
10 encoded. Examples include XML, Java Serial Streams, IIOP Serial Streams and EDI format. Transport standards are used to pass data around. These can include HTTP, IIOP, RMI, DCOM, FTP, Value Added Networks, Asynchronous Message Buses such as MQSeries, etc. Third, semantic standards are  
15 the way in which the semantic content of the data is described. Examples include EDI, I2 COMMON DATA MODEL (CDM).

By considering standards in this light, an understanding of the issues can emerge. A lot of the  
20 confusion today stems from the fact that many existing standards cover two or more of the categories above and that discussions of the various standards fail to categorize which category is being discussed. For example, EDI is primarily a semantic standard, but also typically  
25 implies a format standard (the EDI file format) and a transport (a Value Added Network). Once this is understood, it becomes clear that the EDI semantic standard can be separated from the other two. Hence, semantic EDI objects can be encoded in other formats such as Java Serial  
30 Streams and can be passed over other transport standards such as HTTP. Similarly, XML is primarily a format standard that can be used to encode various semantic standards. Efforts are underway to encode EDI in XML.

Several format standards can be supported by the present global collaboration manager, including XML, EDI format, Java Serial Streams (referred to as Java format and not to be confused with the Java Language or Java Platform) and IIOP Serial Streams. Of these, in one embodiment, the Java format is the primary format, and the rest are derived formats. Because the Java Format can contain the behavior to produce the other formats, it has been chosen as the primary format. XML, EDI and IIOP formats can be derived from the Java Format.

FIGURE 7 is a diagram of situations where common software from I2 TECHNOLOGIES' is present on both sides of a relationship and where it is not. As shown, for example, when RHYTHM GLOBAL COLLABORATION MANAGER is on both sides, nothing is to be gained by converting to an intermediate format. This would introduce needless inefficiency, and only data (not objects) would be exchangeable, limiting the range of applications. Hence when the same software is present on both sides, binary Java objects can be directly exchanged. On the other hand, for example, when RHYTHM GLOBAL COLLABORATION MANAGER is present only on one side, XML or EDI-formatted "objects" can be produced (outbound) and interpreted (inbound).

With respect to transport standards, the present global collaboration manager can support a variety of transport standards, including HTTP, IIOP, and Asynchronous Message Buses. More details are provided below with respect to Handling Multiple Relationship Types.

With respect to semantic standards, the present global collaboration manager can primarily support two semantic standards, EDI and RHYTHM-CDM. EDI can be supported because it is generally the most popular semantic standard. However it suffers from the drawback (amongst others) of not providing deep coverage of the planning domain. The

RHYTHM-CDM, on the other hand, provides deep coverage of the planning domain and will provide appropriate constructs for performing multi-enterprise decision support. Additionally, this format is supported by all of I2 TECHNOLOGIES' planning engines.

In general, one problem with public standards, such as EDI, is that they may not adequately cover the kinds of data/objects that enterprises would like to exchange. Further, waiting for standards bodies to standardize on a particular object may not be an option, and a supply chain will not have any particular competitive advantage by using public standards. For these and other reasons, the present global collaboration manager supports an alternative approach to standardization by supporting proprietary community standards. For example, using RHYTHM-GCD, a community of enterprises can devise a set of standards that are relevant to that community only. RHYTHM-GCM will support and enforce these proprietary community standards. RHYTHM-GCD also supports a library of building block objects that can be composed into proprietary community standards. Proprietary community standards have a number of advantages, including: they can be designed to exactly cover the kinds of data/objects that enterprises would like to exchange; only the relevant parties need to agree upon the particular standard, hence the process will be much quicker than waiting for a standards body; different standards can be developed for different categories of partners and, in the extreme case, a different standard for each partner; and standards that give the supply chain a competitive advantage over competitors can be developed.

Multiple Relationship Types

Another problem for allowing collaboration is handling multiple relationship types. Enterprises have relationships of various types with their partners. Some ways relationships can vary are: between major trading partners on the one hand and between minor trading partners on the other; between enterprises of roughly equal influence over the supply chain and between enterprises of unequal influence over the supply chain; and between enterprises with a high degree of technological sophistication on the one hand and between enterprises with an unequal degree of technological sophistication on the other. As should be understood, these different relationship types should be handled differently.

The present global collaboration manager can model enterprise relationships as a hub and spoke network, as described above and shown in FIGURE 4. In this embodiment, the four types of relationships are: Hub-to-Web; Hub-to-Van-EDI; Hub-to-Spoke and Hub-to-Hub. Each relationship-type has its appropriate usage.

With respect to Hub-to-Web, when people speak of E-Commerce today, they often imply an architecture where a web browser talks to some centralized server. This architecture has some advantages: the infrastructure to support this architecture is typically already in place; and all administration can be centralized on the server side. However, this architecture also has a big disadvantage in that it requires the presence of a human on the web-browser side. Hence system-to-system automation is not possible. Based on these and other pros and cons, this relationship type can be appropriate when an enterprise needs to exchange data with either a minor partner or a partner with less technological sophistication.

With respect to Hub-to-VAN-EDI, the vast majority of electronic inter-enterprise commerce takes place today by sending EDI over Value Added Networks. The advantage of this approach can be that system-to-system integration is possible and it is currently supported today. Disadvantages of this approach are: large costs to send data over proprietary VAN's; high administrative costs because of lack of true standardization; requirement for third party tools just to convert from the true "standard" to a form appropriate for the enterprise; no support for system-to-human integration; and no support for proprietary standards or corporate standards. Based on these and other pros and cons, this relationship type can be appropriate when supporting a legacy VAN-EDI environment.

With respect to hub-to-spoke, this relationship type also enables system-to-system integration like VAN-EDI. Architecturally hub-to-spoke is a collaboration between a hub engine and a spoke engine. The hub-to-spoke relationship can have advantages vis-a-vis VAN-EDI: it can use the public Internet to reduce network costs; administrative costs are much lower than VAN-EDI because a large portion of the hub-to-spoke relationship infrastructure can be centrally deployed and administered; true objects (in addition to just data) can be exchanged allowing for much more advanced collaborations; and multiple semantic standards can be supported including EDI, I2-CDM and Proprietary Community Standards. Based on the characteristics above, the hub-to-spoke relationship can be appropriate between enterprises that wish to perform sophisticated system-to-system collaboration. It can also be appropriate where no I2 TECHNOLOGIES' software is present in either of the enterprises. This is because the hub-to-spoke relationship can be centrally deployed by the hub enterprise.

With respect to hub-to-hub, the relationship is similar to hub-to-spoke except that it takes place between two hub engines rather than a hub and a spoke engine. Based on this characteristic, the hub-to-hub relationship can be appropriate between enterprises that wish to perform sophisticated system-to-system collaboration. Further, the hub-to-hub relationship can be appropriate when two enterprises have individually and separately purchased RHYTHM-GCM and have set up hub engines.

There are differences between hub engines and spoke engines. In general, a hub engine's capabilities are a superset of a spoke engine's capabilities. The following table provides an example of some of the differences.

TABLE 1		
	Spoke Engine	Hub Engine
Purchasing and Deployment	Spoke engines are bundled with a hub engine. Hence a hub enterprise will typically purchase a hub engine and a number of spoke engines which it can deploy out to its partners.	Sold separately.
Relationship types supported	Can only support the hub-to-spoke relationship. Additionally, each spoke engine can only communicate with a particular hub engine (its owning hub).	Supports hub-to-hub, hub-to-spoke, hub-to-web and hub-to-VAN-EDI relationship types.
Authoring Collaborations	Can view but not author a collaboration.	Can view and author a collaboration.

Internal-User Roles.	Supports a single internal-user role.	Supports multiple internal- user roles.
----------------------	---------------------------------------	---

Security

5           A further problem with collaboration is the challenge of providing comprehensive security.

Before enterprises can collaborate effectively, the security issue needs to be addressed. There are many different facets to security in a collaborative context.  
10 Any multi-enterprise collaborative framework should address all of these different facets. The requirements for a collaborative security framework can include that: data exchanged between two partners should only be seen by the two partners; data exchanged between two partners should be  
15 tamper-proof; an enterprise should be able to verify that a partner is who it claims to be; the framework should not introduce new security holes into a partners' network; and the framework should be relatively easy to set up and administer.

20           A secure collaborative framework can be provided by implementing a comprehensive security strategy to address the above requirements. In one embodiment, the strategy has three different aspects to it: technological security, a permissibility framework and data partitioning.

25           Technological security can refer to the technological means used to guarantee security. This security can be used to provide: privacy, authentication and data integrity. Privacy ensures that no unauthorized person can see the data. Authentication involves authenticating that  
30 the parties in the collaboration are really who they claim to be. Data Integrity involves making it impossible for an unauthorized person to modify data being sent in any fashion.

The precise security approach can vary based on the relationship type described earlier. For example, one scheme is detailed in the table below:

5

10

15

TABLE 2		
Relationship Type	Technological Approach	Provided By
Hub-to-web	HTTP-over-SSL 3.0 (e.g., Diffie-Helman)	Global Collab Workspace
	HTTP-over-SSL 3.0 (e.g, RSA)	
	IIOP-over-SSL 3.0	Global Collab Workspace
Hub-to-spoke	HTTP-over-SSL 3.0 (e.g, Diffie-Helman)	Global Collab Workspace
	HTTP-over-SSL 3.0 (e.g., RSA)	Global Collab Workspace
	IIOP-over-SSL 3.0	Global Collab Workspace
Hub-to-hub	TCP/IP-over-SSL 3.0	Global Message Bus
	Content-based Encryption	Global Message Bus
Hub-to-VAN EDI	Security handled by VAN.	VAN

As can be seen from the table, all of the relationship types, with the exception of Hub-to-VAN EDI, could support security via SSL 3.0.

SSL 3.0 is an industry standard protocol used to support public key encryption over a socket-based connection and provides: privacy, client as well as server authentication, data integrity and certificate management. SSL 3.0 is a higher level protocol into which several



public-key cryptography algorithms can be plugged including RSA and Diffie-Helman.

Once the SSL handshake is complete, the next step is username-password authentication. This provides authentication beyond what SSL 3.0 itself provides. Passwords can be stored using PKCS5 password-based encryption (an RSA standard). Once a user or spoke is authenticated, it is returned an Access Token. This access token has an administrator-specifiable lifetime. A user can then access the system for the duration of validity of the access token. This has the beneficial effect of not requiring authentication on each access. Each application which is accessed, authenticates the access token by validating the signature (which is a digest encrypted using the Security Manager's private key) of the Security Manager.

The technological security framework is a portion of the security scheme. The other portion has to do with the design of the collaborations themselves. The framework should allow enterprises to easily attach permissibilities to various actions that other enterprises can perform on it. The global collaboration workspace can support a hierarchical permissibility model with individual permissibilities attached to different data elements in the hierarchy. In particular, it can support user-specific and spoke-specific read, write, take and subscribe permissibilities. Hence, enterprises can finely tune who can read what data, who can write what data, who can take what data and who can subscribe to write-notifications on what data.

A third element in the collaboration framework security strategy is the ability to partition data across various collaborative workspaces. In particular, the collaborative workspaces are split into an internal

collaborative workspace and an external collaborative workspace. Only data that needs to be truly shared with partners is in the external collaborative workspace. The rest is in the internal collaborative workspace. The external collaborative workspace is designed to sit either outside the corporate firewall or in an Extranet or DMZ. The collaboration framework design does not require the external collaborative workspace to make connections through the corporate firewall into the Intranet (although it could).

In one embodiment, global collaborations can use both the external and internal collaborative workspaces. Local collaborations can use only the internal collaborative workspace and are hence completely invisible to partner enterprises. Even for global collaborations only the relevant portions use the external collaborative workspace. Furthermore, because of the permissibility framework described earlier, each partner enterprise can only see (read, write, take, subscribe) to its own data.

FIGURE 8 is a block diagram of one embodiment of a security configuration for a hub-to-spoke and hub-to-web case. As shown, a hub enterprise 50 is coupled to and communicates with an internal global collaboration workspace 52 and an external global collaboration workspace 54. A spoke enterprise 56 and a web enterprise 58 connect through a web server 60 to the external global collaboration workspace 54. Spoke enterprise 56, like hub enterprise 50, has an internal global collaboration workspace 62. The enterprises 50, 56 and 58 can be protected by associated firewalls, while the extranet formed by web server 60 and external global collaboration workspace 54 can be protected by a filtering router and communication via HTTP over SSL 3.0.

FIGURE 9 is a block diagram of one embodiment of a security configuration for a hub-to-hub case. As shown, a hub enterprise 64 and a hub enterprise 66 can communicate across an SSL 3.0 protected TCP/IP connection. The communication can be between separate global message brokers 68 and 69. Both hub enterprises 64 and 66 are protected by a firewall, as shown.

#### Inter-Enterprise Workflows

One of the problems with multi-enterprise decision support can be that there is no closed loop collaboration. Instead, data may be lobbed from one enterprise to the next with no coherent work flow. In order to implement closed loop collaboration, support for creating multi-enterprise workflows is necessary. The present global collaboration manager and designer can make it possible to construct, deploy, monitor and change sophisticated multi-enterprise workflows.

In general, a "work flow" can be a set of "activities" joined together by data flows that together accomplish some task. Workflows are typically executed on work flow engines. A "distributed work flow" can refer to a work flow that is executed on multiple work flow engines. In other words, different portions of the work flow execute on different engines. A "node" can refer the abstract entities on which different work flow engines of a distributed work flow run, and a "node group" can be a set of nodes grouped by some characteristic. A "multi-enterprise distributed work flow" can be distributed workflows where the nodes are enterprises.

Parameterization of workflows can be important for enterprise collaboration. A "parametric work flow" is a work flow that is parameterized over some variable and can be regular or distributed. Instantiating the parametric

work flow with different values of the parameter variable(s) produces different instances of the work flow. A "distributed work flow parameterized over nodes in a node group" can refer to distributed workflows where the parameters of the work flow are the nodes in a node group. Hence, when the work flow is instantiated it is tailored to a particular node in a node group.

There are several important features to the workflows that can be supported by the present global collaboration. These workflows can be strongly typed. Strong typing can be essential in producing robust, error-free workflows. In essence, strong typing guarantees the type of a message at design time. For example, if the work flow is designed to send a Bill of Materials, then strong typing ensures that it is physically impossible that an object other than a Bill of Material is sent. For a work flow designed with the global collaboration designer and executed with the global collaboration manager, it can be made impossible to even send an object of an incorrect type. This capability is important to producing robust, error-free workflows.

Despite strong typing, there are, for example, two scenarios in which wrong object types could conceivably be passed in the work flow: due to an error on the work flow designer's part; and a malicious attempt by someone to undermine the work flow. Both of these scenarios can be handled. The first can be handled by making it impossible for an error in design to lead to such a scenario. The second can be handled by making the data flows tamper-proof by using public key cryptography or other encryption scheme (integrity characteristic) as described above.

Another important feature is support for workflows parameterized over groups. Some multi-enterprise workflows involve a large number of enterprises. In such cases it can become impractical to create individualized workflows

for each partner. Instead it can be advantageous to create workflows that are parameterized over groups of partners. For example, in the realm of procurement, two groups may be primary suppliers and secondary suppliers. The primary  
5 suppliers group could have one type of work flow, and the secondary suppliers group could have another type of work flow. Group-based workflows can be parametric in the sense that, at run time, an actual work flow can be created specific to a member of a group.

10 In the multi-enterprise context, an enterprise may collaborate, for example, with potentially hundreds or thousands of other enterprises. Each collaboration or multi-enterprise work flow can be potentially (and typically) unique. However, designing thousands of  
15 specialized workflows with an enterprises' partners is neither desirable nor feasible. On the other hand, many of these workflows are simply parametric variations on an underlying parameterized work flow. For example, a company A may be collaborating (on sales) with retailers,  
20 distributors, direct sales etc. Hence, it makes sense to group the various partners. An example grouping may be: WalMart; Sears; Rest of Retailers besides WalMart and Sears (group); Primary Distributors (group) and Secondary Distributors (group). Now, the workflows with all the  
25 members, for example, of the primary distributors group are variations on an underlying parametric distributed work flow, parameterized over the particular distributor in that group.

30 Workflows parameterized over groups can be supported by a HETEROCASTING work flow definition technique. The HETEROCASTING definition technique generally involves using a parameterized work flow definition to instantiate heterogeneous workflows based upon differences in the parameters. Thus, the HETEROCASTING definition technique

allows a non-parametric distributed work flow to be easily (through a visual design tool) be made parametric over nodes in a node group. There can be two primary work flow activities used to accomplish this definition: a HETEROCAST split activity and HETEROCAST join activity. All activities between a HETEROCAST split and a HETEROCAST join are parameterized over the nodes of a node group that these activities correspond to.

FIGURE 10 is a diagram of one embodiment of designing an inter-enterprise work flow that includes parameterization over groups. As shown, the work flow can begin with a listening activity 70 that waits for some event. Activity 70 can be linked to parallel activities 71 that links to a sub-work flow 72 and to a heterocast split 73. Sub-work flow, itself, can include a work flow definition. With respect to HETEROCASTING, the work flow after heterocast split 73 then becomes parameterized. Thus, in the example of FIGURE 10, activity 74 is a parameterized activity. After activity 74, a heterocast join 75 receives flow from activity 74. Sub-work flow 72 and heterocast join 75 are linked to a synchronous or asynchronous join 76 which, in turn, links to an integrated event 77 (e.g., multicasting). A work flow like that of FIGURE 10 can be designed using the present global collaboration designer and can allow full representation of work flow for inter-enterprise decision support. This work flow can then be instantiated and implemented through the present global collaboration manager.

FIGURE 11 is a diagram of one embodiment of managing change by modifying a design of a work flow. As shown, an initial work flow design can have an event 70 linked to a parallel activity split 71. Between activity split 71 and a join 76, there can be, for example, two activities 78. This work flow, once designed, can be instantiated and

implemented using the global collaboration manager. If a change needs to be made to the work flow, the global collaboration designer greatly alleviates the trouble of making the change. For example, a new activity 79 can be added between split 71 and join 76. The work flow can then be centrally reinstantiated and implemented.

In particular, the HETEROCAST technique can allow the construction of distributed workflows parameterized over nodes in a node group. This can allow a huge productivity gain over designing individual workflows for individual group members. Further, this technique makes rapid design and prototyping of sophisticated inter-enterprise workflows with hundreds or thousands of partners feasible. The technique should be distinguished from conventional "multicasting" in which identical messages are sent out to the various nodes (partners). In essence, multicasting allows you to design a single work flow that runs identically across multiple nodes. This differs from the HETEROCASTING technique, where the workflows run differently based on which node they are running across.

A third important feature is support for role-based workflows. Role-based workflows allow workflows to be specified using generic roles. This capability allows the creation of generic or templated workflows that can be instantiated in various scenarios. For example, the role types can be: partner roles, spoke roles; spoke group roles; web roles; web group roles; user roles. As an example of roles, partner roles refer to the different roles played by partners. Thus, one partner role in the case of procurement is primary supplier and secondary supplier.

Role-based workflows can lead to the concept of three different phases in the design and execution of a work flow. The design phase is the phase in which role-based

workflows are defined. The instantiation phase is the phase in which roles are mapped to instances. For example, primary supplier may be mapped to a first company, and PO\_approver may be mapped to John Doe. Third, the run time phase can be the phase in which the instantiated work flow runs.

A further important feature is the integration of automated workflows with user-oriented workflows. Workflows can often be described as having two varieties: automated system-to-system workflows, and user interface workflows. While there are workflows that are completely automated, and there are workflows that are completely user driven, most workflows have automated as well as user interface elements. The present global collaboration manager and designer do not need to make this artificial distinction between work flow types. Hence, the workflows can be automated in parts and interact with users in other parts. Both the automated parts and user parts can span multiple enterprises.

#### Integration with Outside World

FIGURE 12 is a diagram of one embodiment of integration of a work flow with the outside world. As described in the previous section, sophisticated inter- and intra-enterprise workflows can be created. These workflows can be composed of activities strung together in various configurations. There is no restriction on what the different activities of the work flow can do, yet one of the major tasks of these activities is to integrate with the outside world. FIGURE 12 shows how a work flow can be integrated with the outside world using a component-based approach to integration. The components can include accessors 80, transformations 82, transfer objects 84, adaptors and flows 86.



The global collaboration manager can support a component-based integration model. The component-based integration model allows flexibility in structuring the integration. There can be two types of components:

5 primitive components and compound components. Primitive components can include accessors 80, transformers 82 and transfer objects 84. Compound components include adaptors and flows 86. Compound components are built in terms of primitive components. In this scheme, accessors 80 are

10 used to access an external source such as SCP (SUPPLY CHAIN PLANNER), SAP, a relational database, web servers, email, message buses etc. Accessors 80 can be used to read, write or listen to sources and destinations of data. Transformers 82 can be used to transform data from one form

15 to another form. Transfer Objects 84 are objects that can be passed from activity to activity or from enterprise to enterprise. Transfer objects 84 can be optionally convertible to EDI, XML, CORBA structures etc. Accessors 80 and Transformers 82 can be strung together to form

20 flows. An entire flow can be executed in a single activity as shown in FIGURE 13.

FIGURE 13 is a diagram of one embodiment of a data flow running in a single activity 92. As shown, a data source 90 can be accessible from and provide data to an

25 accessor component 94. Accessor component 94 then can pass data through transformer components 96 and 98 which provide data to a second accessor component 100. Data can then be stored in a data destination 102.

FIGURE 14 is a diagram of one embodiment of a data

30 flow split across multiple activities 104 and 106. As shown, the flow of FIGURE 14 differs from that of FIGURE 13 in that transformer components 96 and 98 are within separate activities 104 and 106 and communicate by a

transfer object. Multi-enterprise data flows can be based on the model of FIGURE 14 rather than that of FIGURE 13.

With respect to transformations, in one embodiment, two fundamental transformation types can be supported: I2-  
5 CDM based transformations and direct transformations. I2-CDM based transformations are based on I2 TECHNOLOGIES' COMMON DATA MODEL (CDM). The CDM is an abstract schema that is available in both relational and object forms.

FIGURE 15 is a block diagram of one embodiment of an  
10 I2-CDM based transformation model. As shown, transformers and accessors can be coupled to transform a application data into a CDM data object 110 and vice versa. For example, a SUPPLY CHAIN PLANNER (SCP) object 112 can be created by an SCP accessor from SCP data 114. SCP object  
15 112 can then be transformed by an SCP-CDM transformer into a CDM object 110. Analogously, an SAP object 116 can be created by an SAP accessor from SAP data 118. SAP object 116 can then be transformed by an SAP-CDM transformer into a CDM object 110. The SAP accessor and transformer, as  
20 with other accessors and transformers, can be combined into a standard SAP-CDM adapter 120 that can be used for CDM-based transformations other components. As another example, a BAAN object 122 can be created by a BAAN accessor from BAAN data 124. BAAN object 122 can then be  
25 transformed into a CDM object 110 by a BAAN-CDM transformer. These transforms work in the other direction as well.

FIGURE 16 is a diagram of one embodiment of a direct transformation. In direct transformers, objects are  
30 converted from one form to another without passing through an intermediate format. For example, as shown in FIGURE 16, SUPPLY CHAIN PLANNER (SCP) data 130 can be accessed by an SCP accessor to create an SCP object 132. SCP object 132 can then be directly transformed to a FACTORY PLANNER (FP)

object 134. FP object 134 can then become FP data 136 through an FP accessor. This data flow can operate in the other direction as well.

5 In these processes, there are various levels of granularity at which access and transformation can take place including the relational (table), generic object (tree, graph, matrix etc.) and specific object (Bill of Material, Plan etc.) levels. Sometimes access may only be available at one level (say tables), but transformation may  
10 be more appropriate at another level (say generic object). For example, hierarchical aggregation (a form of transformation) is often appropriate on a tree object. However, the data may only be accessible in a tabular form. In this case, for example, the data should be accessed at  
15 the tabular level, transformed into a tree, and then have the hierarchical aggregation applied to it.

FIGURE 17 is a diagram of one embodiment of different access and transformation levels. As shown, access and transformation can have three levels. A first level  
20 140 can involve table access and transforms. A second level 142 can involve generic object (tree, graph, etc.) access and transforms, and a third level can involve specific object (build-of-materials, plan, etc.) access and transforms. In additional to transforms between  
25 application formats, there can also be transforms between the three levels, as shown.

#### Deployment of Collaborations

30 One important factor in a multi-enterprise collaboration system is the ease with which the collaboration can be deployed. As discussed, the present global collaboration manager can support four different kinds of partner relationships: hub-to-web, hub-to-spoke, hub-to-hub and hub-to-VAN-EDI. Of these four, hub-to-web

has all the deployability characteristics of traditional web applications. Hub-to-VAN EDI can be deployable to the extent that it leverages an existing VAN-EDI infrastructure. While the hub-to-web relationship is highly deployable, it can suffer from the problem of requiring a human on the web side of the relationship. In other words, it may not be suited to system-to-system collaboration.

The hub-to-spoke solution can provide maximal deployability in the system-to-system collaboration environment. In the hub-to-spoke realm, the spoke engine is analogous to the web browser, and the spoke portion of the collaboration is analogous to a web page or applet. Similar to a web-page or applet, the spoke portion of the collaboration can be centrally designed and deployed to the remote spoke engines. Unlike a web-page or applet, there may still be integration that needs to be done remotely. This remote integration may be unavoidable but can be circumscribed and precisely defined by the spoke portion of the collaboration.

Another aspect of deployability is handling versioning. Collaborations once designed and deployed are likely to need changing (in various different ways) as time progresses. It can be important that subsequent versions of collaborations be as easily deployable as initial versions. The present global collaboration manager can provide complete support for versioning and centralized redeployment of collaborations. Further, different versions of collaborations can be run simultaneously without impacting each other. This allows an existing version to be gracefully phased out while another version is phased in.

Another element of the deployability of the present global collaboration manager is the leverage of existing

infrastructure. This element is evident, for example, in the support of the hub-to-spoke relationship over existing web protocols. Supporting hub-to-spoke over existing web protocols can be important to rapid deployment since it does not require modification or reconfiguration of an existing web infrastructure. A large time savings in this regard can come from not having to modify carefully designed firewall and security infrastructures that may already be in place.

#### Supporting Many-To-Many Collaborations

The present hub-and-spoke architecture provides easy manageability and deployment. However, in practice enterprises collaborate with many enterprises which in turn collaborate with still other enterprises. Hence, enterprises often form a collaborating web or graph. This can be supported via the ability to substitute a hub engine for a spoke engine at any time. This substitution ability allows many-to-many collaboration webs to be grown organically rather than all at once.

FIGURE 18 is a diagram of one embodiment of substituting a hub engine for a spoke engine within a collaboration. As shown, an enterprise (E1) may deploy a hub engine 150 on itself and a spoke engine 152 at all of its partner sites. In particular, a spoke engine 154 may be at a partner site (E2). If the partner site (E2) wishes to design and control its own collaborations, it can replace spoke engine 154 with a hub engine 156. From E1's perspective, E2 can still be a spoke in E1's collaboration. However, this spoke now runs on a hub engine 156 which can control its own collaborations with spoke engines 158. Further, spoke engines 160 and 162 might be associated with a third entity (E3) that interacts with both hub engine 150 and hub engine 156 on behalf of E3.

#### Extension of Framework

An important aspect of the present framework is extensibility. Without extensibility, the framework may not be able to handle new situations and challenges with which it is confronted. There can be several different dimensions to this extensibility. For example, one primary area of extensibility is in the area of semantic object standards. If supported standards do not suffice for a particular problem, then the framework can be augmented with new semantic standards. Additionally the framework allows the building of proprietary semantic standards. Further, the framework can be extended by adding new accessors, transformers, adapters, etc. The standard component library can be extended both generally and by end-users.

#### Collaboration Management

The present invention manages collaborations within and between enterprises. Generally described, the present invention provides a computer implemented process for managing workflows and collaborations distributed between nodes of one or more enterprises. The computer implemented process manages a collaboration by storing a set of predefined functions for the collaboration to be performed at the distributed nodes. The computer implemented process automatically interacts with the collaboration at each of the nodes to perform the predefined functions. As used herein, each means each of at least a subset of the identified items. The computer implemented process may be a high-level collaboration generated and processed by the global collaboration designer and the global collaboration manager as previously described in connection with other collaborations of the system or other suitable process capable of managing a collaboration across multiple nodes.

The predefined functions may be functions for generating, deploying, monitoring, or otherwise interacting with a collaboration.

FIGURE 19 illustrates a flow diagram for generating a collaboration between a plurality of enterprises in accordance with one embodiment of the present invention. Referring to FIGURE 19, the method for generating a collaboration begins at step 160 at which a preliminary collaboration is received from a first enterprise. The collaboration is preliminary in that it may be commented upon or modified by other enterprises involved in the collaboration. The preliminary collaboration may be generated or otherwise provided by the first enterprise.

Proceeding to step 162, the preliminary collaboration is automatically transmitted to a second enterprise involved in the collaboration. The preliminary collaboration may be transmitted to a hub, spoke, or other suitable node of the second enterprise. As used herein, an event is automatic in that the event is predefined and carried out by the computer process. The event may be immediate or in response to a user action or other suitable event.

At step 164, a response to the preliminary collaboration is received from the second enterprise. The response may be a comment to the preliminary collaboration, a modification of the preliminary collaboration, and the like. A modification to the preliminary collaboration may be an amendment of or addition to the preliminary collaboration. The type of allowable response may be controlled by privileges granted to the second enterprise.

Next, at step 166, the response is automatically transmitted to the first enterprise, which leads to the end of the process. In the same manner as the preliminary collaboration is transmitted to the second enterprise and

a response transmitted from the second enterprise, the preliminary collaboration may be transmitted to any number of other enterprises and responses received from those enterprises. The different enterprises may be granted  
5 different privileges to amend or merely comment upon the preliminary collaboration. This review and response by all or a number of the involved enterprises leads to a final collaboration that has been carefully considered by and is optimized for the involved enterprises.

10 In addition to involving a plurality of enterprises in the design of the collaboration, the design process may be subdivided into a plurality of stages. For example, in a first stage a select number of enterprises may be allowed to modify a preliminary collaboration. After those  
15 enterprises have agreed to a collaboration based on the preliminary collaboration and subsequent modifications to the preliminary collaboration, the resulting collaboration may then be transmitted to other involved enterprises for comment or other limited response.

20 In another embodiment, collaboration design may be separated into general and specific stages. In this embodiment, the preliminary collaboration is an outline for a collaboration between the enterprises. After the outline of the collaboration has been agreed to between the  
25 involved enterprises, specific details of the collaboration may then be transmitted and responded to between the enterprises. In this way, collaborations are efficiently generated within and between distributed nodes of one or more enterprises.

30 FIGURE 20 illustrates a flow diagram for deploying a collaboration generated by a first enterprise to a plurality of other enterprises in accordance with one embodiment of the present invention. Referring to FIGURE 20, the method begins at step 170 in which a



collaboration is generated by a first enterprise. Next, at step 172, a predefined first portion of the collaboration is automatically transmitted to a second enterprise for operation. The first portion of the collaboration is transmitted to a spoke or other suitable node of the second enterprise.

Proceeding to step 174, a predefined second portion of the collaboration is automatically transmitted to a third enterprise for operation. The second portion of the collaboration is transmitted to a spoke or other suitable node for the third enterprise. In the same manner, other portions of the collaboration may be automatically transmitted to other enterprises for operation. In this way, the collaboration is deployed within or between enterprises with minimal user interaction.

In one embodiment, the collaboration is deployed but not run by any of the enterprises until all or a sufficient number of the enterprises have approved the collaboration. In this embodiment, the process may individually request and receive approvals from the involved enterprises. In this way, the collaboration is not prematurely run for only one or a few of the enterprises and operation of older versions of the collaboration are not prematurely terminated.

FIGURE 21 illustrates a method for monitoring a collaboration across a plurality of enterprises in accordance with one embodiment of the present invention. Referring to FIGURE 21, the method begins at step 180 in which a first node is queried for data associated with the operation of a collaboration at the first node. The query may be conducted by an agent or other suitable mechanism. Preferably, the agent operates at the first node to minimize the use of network resources.

Proceeding to step 182, data from the first node is automatically transmitted to a monitoring system. Transmission of the data may be periodic or in response to a predefined event. The monitoring system may be in a hub,  
5 spoke, or other suitable node of the system.

At step 184, a second node is queried for data associated with the operation of the collaboration at the second node. As previously described in connection with the first node, the query may be conducted by a local  
10 agent. At step 186, data from the second node is automatically transmitted to the monitoring system. The operation of the collaboration at additional nodes may be similarly monitored. In this way, operation of the collaboration across a number of enterprises may be  
15 monitored, or tracked, at a hub, a central location, or individually monitored by the involved enterprises.

Although the present invention has been described in detail, it should be understood that various changes, substitutions and alterations can be made hereto without departing from the spirit and scope of the invention as  
20 defined by the appended claims.

WHAT IS CLAIMED IS:

1. A computer implemented process for managing a distributed work flow, comprising;

storing a set of predefined functions for a work flow  
5 to be performed at a plurality of distributed nodes;

automatically interacting with the work flow at each  
of the distributed nodes to perform the predefined  
functions.

10 2. The process of Claim 1, wherein the set of predefined functions are operable to generate a work flow between a plurality of enterprises.

15 3. The process of Claim 1, wherein the set of predefined functions are operable to transmit data associated with the operation of the work flow at each of the distributed nodes to a monitoring system.

20 4. The process of Claim 1, wherein the set of predefined functions are operable to deploy the work flow to the distributed nodes.

5. A Computer implemented process for generating a collaboration between a plurality of enterprises, comprising:

receiving a preliminary collaboration from a first enterprise;

automatically transmitting the preliminary collaboration to a predefined second enterprise for review;

receiving a response to the preliminary collaboration from the second enterprise; and

automatically transmitting the response to the first enterprise for review.

6. The process of Claim 5, wherein the response is a comment to the preliminary collaboration.

7. The process of Claim 5, wherein the response is a modification of the preliminary collaboration.

8. The process of Claim 7, wherein the modification is in addition to the preliminary collaboration.

9. The process of Claim 7, wherein the modification is an amendment of the preliminary collaboration.

10. The process of Claim 5, further comprising;  
receiving an approval from the first and second  
enterprises for a collaboration based on the preliminary  
collaboration and the response;

5 automatically transmitting the collaboration to a  
predefined third enterprise for review;

receiving a response to the collaboration from the  
third enterprise; and

10 automatically transmitting the response to the first  
enterprise for review.

11. The process of Claim 10, wherein the response is  
a comment.

15 12. The process of Claim 10, wherein the response is  
a modification to the collaboration.

13. The process of Claim 12, wherein the modification  
is an addition to the collaboration.

20 14. The process of Claim 12, wherein the modification  
is an amendment of the collaboration.

15. A computer implemented process for deploying a collaboration generated by a first enterprise to a plurality of other enterprises, comprising:

receiving a collaboration;

5 automatically transmitting a predefined first part of the collaboration to a predefined second enterprise; and

automatically transmitting a predefined second part of the collaboration to a predefined third enterprise.

10 16. The process of Claim 15, further comprising:

requesting an approval from the second enterprise for operation of the first part of the collaboration at a node of the second enterprise; and

15 requesting an approval from the third enterprise for operation of the second part of the collaboration at a node of the third enterprise.

20 17. The process of Claim 16, in response to receiving the approval from the second enterprise, notifying the third enterprise of the approval.

25 18. The process of Claim 16, in response to receiving the approvals from the second and third enterprises transmitting a signal to the second and third enterprises to operate the collaboration.

30 19. The process of Claim 16, in response to receiving approvals to operate the collaboration from all enterprises to which the collaboration is transmitted, transmitting a signal to all of the enterprises to operate the collaboration.

20. A computer implemented process for monitoring a collaboration across a plurality of enterprises, comprising:

5 automatically querying a first node of a first enterprise for a first predefined set of data associated with the operation of the collaboration at the first node; transmitting the first set of data to a monitoring system;

10 automatically querying a second node of a second enterprise for a predefined second set of data associated with an operation of the collaboration at the second node; and

transmitting the second set of data to the monitoring system.

METHOD OF SYSTEM FOUR MANAGING  
COLLABORATION WITHIN AND BETWEEN ENTERPRISES

ABSTRACT OF THE DISCLOSURE

5 A computer implemented process for enterprise collaboration is provided. The process includes storing a set of predefined functions for a work flow to be performed at a plurality of distributed nodes. The process automatically interacts with the work flow at each of the distributed nodes to perform the predefined functions.

5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195



FIG. 1






FIG. 2










FIG. 8






FIG. 10

FIG. 11











FIG. 12









DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I declare that:

My residence, post office address and citizenship are as stated below next to my name, that I believe I am the original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention or design entitled METHOD AND SYSTEM FOR MANAGING COLLABORATION WITHIN AND BETWEEN ENTERPRISES is attached hereto; that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above; and that I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me to be material to patentability as defined in 37 C.F.R. § 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application(s) for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

<u>Number</u>	<u>Country</u>	<u>Date Filed</u>	<u>Priority Claimed (Yes) (No)</u>
---------------	----------------	-----------------------	--

None.

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application(s) in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me to be material to patentability as defined in 37 C.F.R. § 1.56 which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application:

<u>Application Serial Number</u>	<u>Date Filed</u>	<u>Status</u>
09/092,348	June 5, 1998	Pending

I hereby appoint:

Jerry W. Mills	Reg. No. 23,005
Robert M. Chiaviello, Jr.	Reg. No. 32,461
Ann C. Livingston	Reg. No. 32,479
Thomas R. Felger	Reg. No. 28,842
Charles S. Fish	Reg. No. 35,870
Wei Wei Jeang	Reg. No. 33,305
Kevin J. Meek	Reg. No. 33,738
T. Murray Smith	Reg. No. 30,222
Barton E. Showalter	Reg. No. 38,302
David G. Wille	Reg. No. 38,363
Bradley P. Williams	Reg. No. 40,227
Terry J. Stalford	Reg. No. 39,522
Christopher W. Kennerly	Reg. No. 40,675
Harold E. Meier	Reg. No. 22,428
Alexander B. Ching	Reg. No. 41,669
Stacy S. Cook	Reg. No. 42,435
Douglas M. Kubehl	Reg. No. 41,915
Samir A. Bhavsar	Reg. No. 41,617
Thomas R. Nesbitt, Jr.	Reg. No. 22,075
James J. Maune	Reg. No. 26,946
Roger J. Fulghum	Reg. No. 39,678
Anthony E. Peterman	Reg. No. 38,270
Rodger L. Tate	Reg. No. 27,399
Scott F. Partridge	Reg. No. 28,142
James B. Arpin	Reg. No. 33,470
James Remenick	Reg. No. 36,902
Jay B. Johnson	Reg. No. 38,193
Robert W. Holland	Reg. No. 40,020
Floyd B. Chapman	Reg. No. 40,555
Randall W. Mishler	Reg. No. 42,006

all of the firm of Baker & Botts, L.L.P., my attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the United States Patent and Trademark Office connected therewith, and to file and prosecute any international patent applications filed thereon before any international authorities.

Send Correspondence To:

Baker & Botts, L.L.P.  
2001 Ross Avenue  
Dallas, Texas 75201-2980

Direct Telephone Calls To:

Terry J. Stalford  
at (214) 953-6477  
Atty. Docket No.020431.0463

I declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Full name of the first inventor

Ranjit N. Notani

Inventor's signature

Date

Residence (City, County, State)

Citizenship

Post Office Address

Irving, Dallas County, Texas

India

1218 Hidden Ridge Drive,  
#2070  
Irving, Texas 75038

Full name of second joint inventor, if any

Abhay V. Parasnis

Inventor's signature

\_\_\_\_\_

Date

Residence (City, County, State)

\_\_\_\_\_  
Irving, Dallas County, Texas

Citizenship

India

Post Office Address

8804 Saddlehorn Drive #2070  
Irving, Texas 75063

Inventor's signature

Residence (City, County, State)

Dallas, Dallas County, Texas

Citizenship

United States of America

Post Office Address

110 N. Clinton Avenue  
Dallas, Texas 75208